



Design Radiators by ISAN

Aruba


The use of the stylish Aruba vertical heater is not limited to the bathroom. The radiator is simultaneously a fully functional element with decent and discreet design that will fit in any interior.



connection
sets



colour
ref. chart





Code Height (H) / Length (L) [mm]	Depth (B) [mm]	Weight [kg]	Water capacity [l]	Temperature exponent [-]	Output 75/65/20°C [W]	Power input [W]	Connection span [mm]	White colour RAL 9016 [€]	Electric [€]
DARU 1800 0282	49	10,0	5,1	1,291	530	-	50	✓	-
DARU 1800 0462	49	16,5	8,3	1,291	855	-	50	✓	-
DARU 1800 0606	49	21,0	10,9	1,291	1064	-	50	✓	-

The weight of radiators does not include water and packaging.

Technical information


Material	steel profiles Ø 28 mm steel profiles Ø 22 mm
Connection threads	4 × G1/2"
Testing overpressure	1,3 MPa
Max. operating overpressure	1,0 MPa
Max. operating temperature	110 °C
Number of profiles	8, 13, 17

Modification options

Surface treatment	colour
Height range [mm]	600-2000 (increase of 10)
Length range [mm]	282-966 (increase of 36)
Change of dimensions	additional charge 30 % ¹⁾
Electric version	NO
Standard connection (SK)	YES (no extra charge)
Middle connection (SM)	STANDARD
Side connection (SB)	YES (additional charge)
One-sided into space fixing	NO


¹⁾ to the nearest larger standard dimension

Type height (H) / length (L) [mm]




H 1800	H 1800	H 1800
L 0282	L 0462	L 0606

Mounting



Type	X [mm]	A [mm]
Metal brackets	55-65	89-99

Connection options



The type of connection must be specified in the order