

# Mapia Light Mapia Light Plus



The wide horizontal profiles make this unit a stylish source of heat in bathrooms and beyond. Choose an enclosed-frame model to highlight the uniqueness of any interior.

	Mapia Light	Mapia Light Plus
Material	steel profiles D35×41 mm steel profiles 50×10 mm	steel profiles D35×41 mm steel profiles 50×10 mm
Connection threads	4×G1/2"	4×G1/2"
Testing overpressure	0,65 MPa	0,65 MPa
Max. op. overpressure	0,5 MPa	0,5 MPa
Max. op. temperature	110 °C	95 °C
Number of pipes	10, 16, 24	13, 20



1.



2.

Mapia Light / Plus



1. Mapia Light - fiery red RAL 3002 [08] / 2. Mapia Light Plus - snow white RAL 9016 [01] / 3. Mapia Light Plus - light grey S37 [49]


## Modification options

	Mapia Light	Mapia Light Plus
Surface treatment	colour	colour
Height range [mm]	465-1 765 (increase of 65)	1 200, 1 720
Length range [mm]	300-1 000 (increase of 10)	500, 600
Dimension changes	YES (additional charge of 30% <sup>1)</sup> )	YES (additional charge of 30% <sup>1)</sup> )
Electric version	YES	YES
Standard connection (SK)	STANDARD	NO
Middle connection (SM)	NO	NO
Universal connection (SU)	NO	STANDARD
Side connection (SB)	YES (additional charge)	YES (additional charge)
One-sided into space fixing	NO	NO

## Accessories

- Colour ref. chart
- Bath. accessories
- Thermostatic packs
- Electric regulators

## Connection Options Mapia Light



<sup>1)</sup> to the nearest larger standard dimension.

# Mapia Light



Height (H) Length (L) [mm]	Depth (B)	Weight	Water capacity	Temperature exponent	Output 75/65/20°C	Power input Z heat. rod, Mini PW, Vision	Power input Solo, Rio, Neo	Connection span (Z)	White colour RAL 9016	Electric
code	[mm]	[kg]	[l]	[-]	[W]	[W]	[W]	[mm]		
DMAL 0725 500	35	7,6	3,0	1,273	358	400	400	459	✓	✓
DMAL 0725 600	35	8,8	3,3	1,273	421	400	400	559	✓	✓
DMAL 1180 500	35	12,1	4,8	1,270	558	600	600	459	✓	✓
DMAL 1180 600	35	14,2	5,3	1,270	658	700	600	559	✓	✓
DMAL 1765 500	35	18,2	7,2	1,267	821	800	800	459	✓	✓
DMAL 1765 600	35	21,2	8,0	1,267	966	1 000	1 000	559	✓	✓

# Mapia Light Plus




Height (H) Length (L) [mm]	Depth (B)	Weight	Water capacity	Temperature exponent	Output 75/65/20°C	Power input Z heat. rod, Mini PW, Vision	Power input Solo, Rio, Neo	Connection span (Z)	White colour RAL 9016	Electric
code	[mm]	[kg]	[l]	[-]	[W]	[W]	[W]	[mm]		
DMLP 1200 600	35	14,0	5,1	1,303	655	700	600	50/559	✓	✓
DMLP 1720 600	35	20,0	8,2	1,262	892	900	800	50/559	✓	✓


The weight of radiators does not include water and packaging.

## Type height (H) / length (L) [mm]

### Mapia Light




### Mapia Light Plus



Mapia Light / Plus


## Mounting

### Mapia Light



Type	X [mm]	A [mm]
Metal brackets	57,5-67,5	75-85

### Mapia Light Plus



Type	X [mm]	A [mm]
Metal brackets	57,5-67,5	75-85

## Connection Options Mapia Light Plus

