



**Design Radiators** by ISAN

# Mapia Light

The wide horizontal profiles make this unit a stylish source of heat in bathrooms and beyond.



bath accessories



connection  
sets



electric  
regulators



colour  
ref. chart



# Mapia Light



Code Height (H) / Length (L) [mm]	Depth (B) [mm]	Weight [kg]	Water capacity [l]	Temperature exponent [-]	Output 75/65/20°C [W]	Power input [W]	Connection span [mm]	White colour RAL 9016 [€]	Electric [€]
DMAL 0725 500	35	7,6	3,0	1,273	358	400	459	✓	✓
DMAL 0725 600	35	8,8	3,3	1,273	421	400	559	✓	✓
DMAL 1180 500	35	12,1	4,8	1,270	558	600	459	✓	✓
DMAL 1180 600	35	14,2	5,3	1,270	658	600	559	✓	✓
DMAL 1765 500	35	18,2	7,2	1,267	821	800	459	✓	✓
DMAL 1765 600	35	21,2	8,0	1,267	966	1 000	559	✓	✓

The weight of radiators does not include water and packaging.

## Technical information


Material	steel profiles D35×41 mm steel profiles 50×10 mm
Connection threads	4×G1/2"
Testing overpressure	0,65 MPa
Max. operating overpressure	0,5 MPa
Max. operating temperature	110 °C
Number of profiles	10, 16, 24

## Modification options


Surface treatment	colour
Height range [mm]	465-1 765 (increase of 65)
Length range [mm]	300-1 000 (increase of 10)
Change of dimensions	additional charge 30 % <sup>1</sup>
Electric version	YES
Standard connection (SK)	STANDARD
Middle connection (SM)	NO
Universal connection (SU)	NO
Side connection (SB)	YES (additional charge)
One-sided into space fixing	NO

<sup>1</sup> to the nearest larger standard dimension

## Type height (H) / length (L) [mm]




## Mounting



Type	X [mm]	A [mm]
Metal brackets	57,5-67,5	75-85

## Connection options



The type of connection must be specified in the order