

Contact details	ISAN Radiátory s.r.o., Poříčí 26, 678 01 Blansko CZ					
Model identifier(s): DxxxxxxxxxYKxxx						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output / room temperature control (select one)		
Nominal heat output	P_{nom}	0,400	kW	single stage heat output and no room temperature control	no	
Minimum heat output (indicative)	P_{min}	N.A.	kW	two or more manual stages, no room temperature control	no	
Maximum continuous heat output	$P_{max,c}$	0,400	kW	with mechanic thermostat room temperature control	no	
Power consumption				with electronic room temperature control	no	
In off mode	P_o	N.A.	W	electronic room temperature control plus day timer	no	
In standby mode	P_{sm}	0,16	W	electronic room temperature control plus week timer	yes	
In idle mode	P_{idle}	0,16	W	Other control options (multiple selections possible)		
In network standby	P_{nsm}	N.A.	W	room temperature control, with presence detection	no	
Standby mode with display of information or status			yes	room temperature control, with open window detection	yes	
Seasonal space heating energy efficiency in active mode	$\eta_{s,on}$	96,00	%	distance control option	no	
				adaptive start control	no	
				working time limitation	yes	
				black bulb sensor	no	
				self-learning functionality	no	
				control accuracy	yes	

Contact details	ISAN Radiátory s.r.o., Poříčí 26, 678 01 Blansko CZ					
Model identifier(s): DxxxxxxxxxYKxxx						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output / room temperature control (select one)		
Nominal heat output	P_{nom}	0,600	kW	single stage heat output and no room temperature control	no	
Minimum heat output (indicative)	P_{min}	N.A.	kW	two or more manual stages, no room temperature control	no	
Maximum continuous heat output	$P_{max,c}$	0,600	kW	with mechanic thermostat room temperature control	no	
Power consumption				with electronic room temperature control	no	
In off mode	P_o	N.A.	W	electronic room temperature control plus day timer	no	
In standby mode	P_{sm}	0,16	W	electronic room temperature control plus week timer	yes	
In idle mode	P_{idle}	0,16	W	Other control options (multiple selections possible)		
In network standby	P_{nsm}	N.A.	W	room temperature control, with presence detection	no	
Standby mode with display of information or status			yes	room temperature control, with open window detection	yes	
Seasonal space heating energy efficiency in active mode	$\eta_{s,on}$	96,00	%	distance control option	no	
				adaptive start control	no	
				working time limitation	yes	
				black bulb sensor	no	
				self-learning functionality	no	
				control accuracy	yes	

Contact details	ISAN Radiátory s.r.o., Poříčí 26, 678 01 Blansko CZ					
Model identifier(s): DxxxxxxxxxYKxxx						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output / room temperature control (select one)		
Nominal heat output	P_{nom}	0,800	kW	single stage heat output and no room temperature control	no	
Minimum heat output (indicative)	P_{min}	N.A.	kW	two or more manual stages, no room temperature control	no	
Maximum continuous heat output	$P_{max,c}$	0,800	kW	with mechanic thermostat room temperature control	no	
Power consumption				with electronic room temperature control	no	
In off mode	P_o	N.A.	W	electronic room temperature control plus day timer	no	
In standby mode	P_{sm}	0,16	W	electronic room temperature control plus week timer	yes	
In idle mode	P_{idle}	0,16	W	Other control options (multiple selections possible)		
In network standby	P_{nsm}	N.A.	W	room temperature control, with presence detection	no	
Standby mode with display of information or status			yes	room temperature control, with open window detection	yes	
Seasonal space heating energy efficiency in active mode	$\eta_{s,on}$	96,00	%	distance control option	no	
				adaptive start control	no	
				working time limitation	yes	
				black bulb sensor	no	
				self-learning functionality	no	
				control accuracy	yes	

Contact details	ISAN Radiátory s.r.o., Poříčí 26, 678 01 Blansko CZ					
Model identifier(s): DxxxxxxxxxYKxxx						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output / room temperature control (select one)		
Nominal heat output	P_{nom}	1,000	kW	single stage heat output and no room temperature control	no	
Minimum heat output (indicative)	P_{min}	N.A.	kW	two or more manual stages, no room temperature control	no	
Maximum continuous heat output	$P_{max,c}$	1,000	kW	with mechanic thermostat room temperature control	no	
Power consumption				with electronic room temperature control	no	
In off mode	P_o	N.A.	W	electronic room temperature control plus day timer	no	
In standby mode	P_{sm}	0,16	W	electronic room temperature control plus week timer	yes	
In idle mode	P_{idle}	0,16	W	Other control options (multiple selections possible)		
In network standby	P_{nsm}	N.A.	W	room temperature control, with presence detection	no	
Standby mode with display of information or status			yes	room temperature control, with open window detection	yes	
Seasonal space heating energy efficiency in active mode	$\eta_{s,on}$	96,00	%	distance control option	no	
				adaptive start control	no	
				working time limitation	yes	
				black bulb sensor	no	
				self-learning functionality	no	
				control accuracy	yes	

Contact details	ISAN Radiátory s.r.o., Poříčí 26, 678 01 Blansko CZ					
Model identifier(s): DxxxxxxxxxYKxxx						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output / room temperature control (select one)		
Nominal heat output	P_{nom}	1,200	kW	single stage heat output and no room temperature control	no	
Minimum heat output (indicative)	P_{min}	N.A.	kW	two or more manual stages, no room temperature control	no	
Maximum continuous heat output	$P_{max,c}$	1,200	kW	with mechanic thermostat room temperature control	no	
Power consumption				with electronic room temperature control	no	
In off mode	P_o	N.A.	W	electronic room temperature control plus day timer	no	
In standby mode	P_{sm}	0,16	W	electronic room temperature control plus week timer	yes	
In idle mode	P_{idle}	0,16	W	Other control options (multiple selections possible)		
In network standby	P_{nsm}	N.A.	W	room temperature control, with presence detection	no	
Standby mode with display of information or status			yes	room temperature control, with open window detection	yes	
Seasonal space heating energy efficiency in active mode	$\eta_{s,on}$	96,00	%	distance control option	no	
				adaptive start control	no	
				working time limitation	yes	
				black bulb sensor	no	
				self-learning functionality	no	
				control accuracy	yes	